


WIRING COLOR CODE

1, 11	BLACK
2, 12	BROWN
3	RED
4	ORANGE
5	YELLOW
6	GREEN
7	BLUE
8	VIOLET
9	GRAY
10	WHITE



- 3. PERFORMANCE:** MEETS OR EXCEEDS M32139 PERFORMANCE SPECIFICATIONS
 CONTACT RATING: 1 AMPERE MAXIMUM
 DNV: 250 VAC
 INSULATION RESISTANCE: 5000 MEGOHMS MINIMUM @ 100 VDC
 CONTACT RESISTANCE: 0.071 VOLT MAXIMUM DROP @ 1.0 AMPS (.071 OHMS)
 W/6.00" OF WIRE LISTED BELOW, PER MIL-DTL-32139
- 2. MATERIALS:** INSULATOR: LCP (LIQUID CRYSTAL POLYMER) GLCP-30F
 CONTACTS: BERYLLIUM COPPER PER ASTM B194, GOLD PLATED PER ASTM B488
 LEADS: 30 AWG, NEMA HP3, TYPE ET, COLOR CODED PER MIL-DTL-681, SYSTEM 1
 EXCEPT USING 10 SOLID REPEATING COLORS
- 1. MARKINGS:** UMI, UMI P/N, DATE CODE & W/O NO. ON BAG OR TAG
- NOTES: UNLESS OTHERWISE SPECIFIED

PART DWG REV ISSUE	DATE	ECN NO.	APPRD BY	REL BY																																																												
					05/15/17	UMI6352	TPOWBART	PER																																																								
<table border="1"> <tr> <td>QUALITY SYMBOLS</td> <td>UNLESS SPECIFIED, ALL DIMENSIONS IN INCHES</td> <td>SCALE</td> <td>DWG SIZE</td> <td>THIRD ANGLE PROJECTION</td> <td>REVISE ON CAD ONLY</td> </tr> <tr> <td>MAJOR =</td> <td>GENERAL TOLERANCES:</td> <td>10:1</td> <td>B</td> <td></td> <td></td> </tr> <tr> <td>CRITICAL C/ =</td> <td>3 PLACE ±.005</td> <td>DRAWN BY & DATE</td> <td></td> <td></td> <td></td> </tr> <tr> <td>SPC S/ =</td> <td>2 PLACE ±.010</td> <td>CHECKED BY & DATE</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>ANGULAR ±2°</td> <td>SEE ECN</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>APPROVED BY & DATE</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>SEE ECN</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>CAD FILENAME</td> <td>PART NO.</td> <td>DRAWING NO.</td> <td>SHEET NO.</td> </tr> <tr> <td></td> <td></td> <td>SD-821061120.DWG</td> <td>821061120</td> <td>SD-821061120</td> <td>1 OF 1</td> </tr> <tr> <td></td> <td></td> <td colspan="3">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO ULTI-MATE INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.</td> <td>PART REV</td> </tr> </table>					QUALITY SYMBOLS	UNLESS SPECIFIED, ALL DIMENSIONS IN INCHES	SCALE	DWG SIZE	THIRD ANGLE PROJECTION	REVISE ON CAD ONLY	MAJOR =	GENERAL TOLERANCES:	10:1	B			CRITICAL C/ =	3 PLACE ±.005	DRAWN BY & DATE				SPC S/ =	2 PLACE ±.010	CHECKED BY & DATE					ANGULAR ±2°	SEE ECN						APPROVED BY & DATE						SEE ECN						CAD FILENAME	PART NO.	DRAWING NO.	SHEET NO.			SD-821061120.DWG	821061120	SD-821061120	1 OF 1			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO ULTI-MATE INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.			PART REV
QUALITY SYMBOLS	UNLESS SPECIFIED, ALL DIMENSIONS IN INCHES	SCALE	DWG SIZE	THIRD ANGLE PROJECTION	REVISE ON CAD ONLY																																																											
MAJOR =	GENERAL TOLERANCES:	10:1	B																																																													
CRITICAL C/ =	3 PLACE ±.005	DRAWN BY & DATE																																																														
SPC S/ =	2 PLACE ±.010	CHECKED BY & DATE																																																														
	ANGULAR ±2°	SEE ECN																																																														
		APPROVED BY & DATE																																																														
		SEE ECN																																																														
		CAD FILENAME	PART NO.	DRAWING NO.	SHEET NO.																																																											
		SD-821061120.DWG	821061120	SD-821061120	1 OF 1																																																											
		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO ULTI-MATE INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.			PART REV																																																											