



REVISIONS

PART REV.	DWG. ISSUE	DATE	ECN NO.	APPVD. BY	REL. BY
-	A	2-3-20	UMI7386	JA	DW

F  
E  
D  
C  
B  
A



- MARKING: UMI, DATE CODE, UMI P/N, WORK ORDER NO.
  - NUMBERS ON BACKSHELL ARE SHOWN FOR REFERENCE ONLY AND DO NOT APPEAR ON PART
  - MATERIALS:  
SHELL: 6061-T6 ALUMINUM PER QQ-A200/8 NICKEL PLATED PER MIL-C-26074  
INSULATOR AND BACKSHELL: PPS PER MIL-M-24519 GST-40F  
SOCKET CONTACTS: COPPER ALLOY CDA 210 1/2 HARD GOLD PLATED PER MIL-G-45204  
24 AWG SOLID WIRE LEADS: TIN PLATED COPPER ALLOY  
INTERFACIAL SEAL: FLUOROSILICONE
- NOTES: UNLESS OTHERWISE SPECIFIED

QUALITY SYMBOLS CRITICAL SPL/MI NOR SPL/MAJOR KEY	<b>UNLESS SPECIFIED:</b> ALL DIMENSIONS IN INCHES GENERAL TOLERANCES: 3 PLACE ±.005 2 PLACE ±.01 ANGULAR ±2°	SCALE <b>NONE</b>	DWG SIZE <b>B</b>	THIRD ANGLE PROJECTION	<b>REVISE ON CAD ONLY</b>	
	ALL EXTERNAL SPECIFICATIONS REFERENCED ON THIS DRAWING SHALL BE THE LATEST REVISION IN EFFECT Ulti-Mate CAGE CODE <b>58967</b>	DRAWN BY & DATE DW 3-19-09	TITLE RECEPTACLE, CIRCUIT SERIES, SIZE 25, STYLE 1 (.100 X .100), CM1R25S0		MATERIAL ENG PROJECT #	
		CHECKED BY & DATE SEE ECN	PART NO. 836240110		DRAWING NO. SD-836240110	
		APPROVED BY & DATE SEE ECN	CAD FILENAME SD-836240110.slddrw		SHEET NO. <b>1 OF 1</b>	
			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO ULTI-MATE INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.			

